



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/867,402	05/31/2001	Jun Miyokawa	205471US8	8275

22850 7590 05/07/2002

OBLON SPIVAK MCCLELLAND MAIER & NEUSTADT PC
FOURTH FLOOR
1755 JEFFERSON DAVIS HIGHWAY
ARLINGTON, VA 22202

EXAMINER

LOUIE, WAI SING

ART UNIT PAPER NUMBER

2814

DATE MAILED: 05/07/2002

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/867,402

Applicant(s)

MIYOKAWA ET AL.

Examiner

Wai-Sing Louie

Art Unit

2814

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-42 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-42 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on ____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. ____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 5,6.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). ____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: .

DETAILED ACTION

Double Patenting

Claims 1-5, 7, 9, 11-16, 19, 23-37 and 39 are provisionally rejected under 35 U.S.C. 101 as claiming the same invention as that of claims 1-6 of copending Application No. 09/867,549. This is a provisional double patenting rejection since the conflicting claims have not in fact been patented.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 24-28 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In claim 24 and 27, it is unclear what "a base side plate member" means.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.

Art Unit: 2814

Claims 1-3, 6-14, 19, 22-23, 26-29, 31, 33-34, 39, and 42 are rejected under 35 U.S.C. 102(a) as being anticipated by Yoshino (US 5,924,290).

With regard to claim 1, Yoshino discloses a laser diode module (col. 5, line 18 to col. 8, line 67 and fig. 2) comprising:

- A laser diode 1 (fig. 2);
- An optical system including an optical fiber 10 and a lens 7, the optical system being configured to receive and transmit a beam emitted from the laser diode through the lens to the optical fiber along an optical axis (fig. 2);
- An optical system mounting member 11 configured to support at least a portion of the optical system (fig. 2);
- A laser diode mounting member (carrier) 3 configured to support the laser diode, the optical system mounting member 11 being attached to the laser diode mounting member 3 (fig. 2);
- A bottom plate 5a configured to support the laser diode 1, the optical system, the optical mounting member 11, and the laser diode-mounting member 3 (fig. 3).

With regard to claim 2, Yoshino discloses a temperature control device 6 thermally connected to the laser diode 1 by the laser diode-mounting member 3, the temperature control device being attached to the bottom plate 5a (fig. 2).

With regard to claims 3 and 27, Yoshino discloses the temperature control device is a peltier unit 6, the peltier unit 6 having a top plate 6a member attached to the laser diode

Art Unit: 2814

With regard to claim 6, Yoshino discloses the top plate member 6a is made of aluminum oxide. (col. 5, lines 49-50).

With regard to claim 7, Yoshino discloses the optical fiber has a portion contained within a holder 11, where the optical system mounting member comprises a holder mounting member attached the holder (fig. 2).

With regard to claim 8, Yoshino discloses the laser diode-mounting member 3 is made of copper tungsten alloy (col. 5, lines 65-68).

With regard to claim 9, Yoshino discloses the optical system-mounting member could be made of copper tungsten alloy or a Fe-Ni-Co alloy (col. 3, lines 9-10).

With regard to claim 10, Yoshino discloses the laser diode is mounted on a laser diode-bonding portion, the laser-bonding portion being mounted on the laser diode-mounting member (col. 5, lines 56-60).

With regard to claim 11, Yoshino disclose the discrete lens is mounted within the holder 11 (fig. 2).

With regard to claims 12 and 14, Yoshino discloses the optical system comprises an optical isolator 8 supported by the optical system mounting member 11 and the optical system is configured to receive and transmit the beam emitted from the laser diode through the discrete lens and the optical isolator to the optical fiber along the optical axis (fig. 3).

With regard to claim 13, Yoshino discloses the discrete lens is connected to a holder and the optical system-mounting member comprises a holder-mounting member supporting the holder (fig. 2).



A DOCPHOENIX

APPL PARTS

IMIS _____
Internal Misc. Paper

LET. _____
Misc. Incoming Letter

371P _____
PCT Papers in a 371 Application

A... _____
Amendment Including Elections

ABST _____
Abstract

ADS _____
Application Data Sheet

AF/D _____
Affidavit or Exhibit Received

APPENDIX _____
Appendix

ARTIFACT _____
Artifact

BIB _____
Bib Data Sheet

CLM _____
Claim

COMPUTER _____
Computer Program Listing

CRFL _____
All CRF Papers for Backfile

DIST _____
Terminal Disclaimer Filed

DRW _____
Drawings

FOR _____
Foreign Reference

FRPR _____
Foreign Priority Papers

IDS _____
IDS Including 1449

NPL _____
Non-Patent Literature

OATH _____
Oath or Declaration

PET. _____
Petition

RETMAIL _____
Mail Returned by USPS

SEQLIST _____
Sequence Listing

SPEC _____
Specification

SPEC NO _____
Specification Not in English

TRNA _____
Transmittal New Application

CTNF _____
Count Non-Final

CTRS _____
Count Restriction

EXIN _____
Examiner Interview

M903 _____
DO/EO Acceptance

M905 _____
DO/EO Missing Requirement

NFDR _____
Formal Drawing Required

NOA _____
Notice of Allowance

PETDEC _____
Petition Decision

OUTGOING

CTMS _____
Misc. Office Action

1449 _____
Signed 1449

892 _____
892

ABN _____
Abandonment

APDEC _____
Board of Appeals Decision

APEA _____
Examiner Answer

CTAV _____
Count Advisory Action

CTEQ _____
Count Ex parte Quayle

CTFR _____
Count Final Rejection

INCOMING

AP.B _____
Appeal Brief

C.AD _____
Change of Address

N/AP _____
Notice of Appeal

PA.. _____
Change in Power of Attorney

REM _____
Applicant Remarks in Amendment

XT/ _____
Extension of Time filed separate

Internal

SRNT _____
Examiner Search Notes

CLMPTO _____
PTO Prepared Complete Claim Set

ECBOX _____
Evidence Copy Box Identification

WCLM _____
Claim Worksheet

WFEE _____
Fee Worksheet

File Wrapper

FWCLM _____
File Wrapper Claim

IIFW _____
File Wrapper Issue Information

SRFW _____
File Wrapper Search Info

BACKFILE DOCUMENT INDEX SHEET

REV 7/02/03

Art Unit: 2814

With regard to claims 19 and 39, Yoshino discloses the laser diode-mounting member is fixed on the bottom plate 5a via a peltier unit 6 (fig. 2).

With regard to claims 22 and 42, Yoshino discloses the optical system-mounting member 3 is made of CuW alloy, which is non-magnetic (col. 5, lines 65-67).

With regard to claim 23, in addition to the limitations disclosed in claim 1 above, Yoshino also discloses:

- A fastening means 11 for supporting at least a portion of the optical system (fig. 2);
- A base 6a configured to support the laser diode 1 (fig. 2);
- Where the base includes a laser diode-mounting member 3 and a fastening means mounting member 11, the laser diode-mounting member 3 having a laser-mounting region configured to mount the laser diode, the fastening means mounting member 11 being mounted to the laser diode-mounting member at a position other than the laser diode-mounting region (fig. 2).

With regard to claim 26, Yoshino discloses a package 5 including the bottom plate 5a, the package 5 being configured to accommodate the laser diode 1, the fastening means 11, the base 6a and the peltier unit 6 (fig. 2).

With regard to claims 28-29, Yoshino discloses the base 6a and fastening means mounting member 11 project in a direction parallel to an optical axis of the optical system from an end portion on an optical fiber mounting side of the laser diode mounting member 3 (fig. 2).

Art Unit: 2814

With regard to claim 31, Yoshino discloses the lens portion has a fiber lens formed on the optical fiber 10, where the fiber lens has a tip end arranged to oppose a light-emitting facet of the laser diode (fig. 2).

With regard to claim 33-34, Yoshino discloses the fastening means and its mounting member are made of CuW alloy or Fe-Ni-Co alloy (col. 3, lines 9-10).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 4-5, 15, 18, 20-21, 24-25, 30, 32, 38, and 40-41 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yoshino (US 5,924,290).

With regard to claim 4, Yoshino does not disclose the laser diode-mounting member 3 is formed of material having a linear expansion coefficient in range between a linear expansion coefficient of the optical system-mounting member and a linear expansion coefficient of the first plate member of the thermo module. However, every material has its own thermal expansion coefficient. Choose the right material to meet the design requirement is merely a design choice.

With regard to claims 5 and 25, Yoshino does not disclose the optical system-mounting member or the fastening means mounting member 11 could have a thermal conductivity lower than a thermal conductivity of the laser mounting member and the first plate member of the

Art Unit: 2814

peltier unit (thermo module). However, One with ordinary skill in the art would choose a material for optical system mounting member has a thermal conductivity lower than a thermal conductivity of the first plate so that the optical system has less movement than the first plate to minimize the thermal stress.

With regard to claim 15, Yoshino does not disclose the optical fiber is supported by the bottom plate. However, one end of the optical fiber 10 is supported by the package wall 5b, which is connected to the bottom plate 5a. Therefore, it is obvious the optical fiber 10 is supported by the bottom plate (fig. 2).

With regard to claims 18 and 38, Yoshino does not disclose the laser diode-mounting member is directly fixed on the bottom plate. However, one with ordinary skill in the art could fix the laser diode-mounting member directly on the bottom plate as an alternate design.

With regard to claims 20-21 and 40-41, Yoshino discloses the thermal conductivity, but the unit is different. The temperature, power, time and thermal conductivity are considered to involve routine optimization, which has been held to be within the level of ordinary skill in the art. As noted in *In re Aller*, the selection of reaction parameters such as temperature and concentration, thickness etc. would have been obvious:

“Normally, it is to be expected that a change in temperature, or in thickness, or in time, would be an unpatentable modification. Under some circumstances, however, changes such as these may impart patentability to a process if the particular ranges claimed produce a new and unexpected result which is different in kind and not merely degree from the results of the prior art...such ranges are termed “critical ranges and the applicant has the burden of proving such criticality.... More particularly, where the general conditions of a claim are disclosed in the prior art, it is not inventive to discover the optimum or workable ranges by routine experimentation.”

Art Unit: 2814

In re Aller 105 USPQ233, 255 (CCPA 1955). See also *In re Waite* 77 USPQ 586 (CCPA 1948); *In re Scherl* 70 USPQ 204 (CCPA 1946); *In re Irmischer* 66 USPQ 314 (CCPA 1945); *In re Norman* 66 USPQ 308 (CCPA 1945); *In re Swenson* 56 USPQ 372 (CCPA 1942); *In re Sola* 25 USPQ 433 (CCPA 1935); *In re Dreyfus* 24 USPQ 52 (CCPA 1934).

Therefore, one of ordinary skill in the requisite art at the time the invention was made would have used any temperature, power, time, and thermal conductivity range suitable to the method in process in order to optimize the design.

With regard to claim 24, Yoshino discloses a peltier unit 6 mounted on the bottom plate 5a, where the laser diode-mounting member is formed (fig. 2). In claim 4 above, the construction material of laser diode mounting member could have a linear expansion coefficient in between fastening means and the peltier unit 6.

With regard to claim 30, Yoshino does not disclose the laser diode-mounting member has a reinforcement portion. However, one with ordinary skill in the art would add an reinforcement portion when needed. This is merely a design choice.

With regard to claim 32, Yoshino does not disclose the lens 7 is an anamorphic lens. However, one skilled in the art would choose a lens to meet the match the output of the laser diode and the configuration of the fiber. Therefore, it is obvious to choose an anamorphic lens if needed.

Claims 16-17 and 35-37 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yoshino (US 5,924,290) in view of Miki et al. (US 6,094,515).

Art Unit: 2814

With regard to claims 16 and 35, Yoshino discloses the module comprises of one lens. However, Miki et al. disclose an optical module having two lenses 16 and 26 (fig. 3). Miki et al. teach lens 26 is a condenser lens and lens 16 is a collimator lens to confine the light into the optical fiber (Miki col. 7, lines 22-33). Therefore, it would have been obvious to one with ordinary skill in the art to provide a second lens in order to confine the light into the optical fiber. Yoshino discloses the optical system is configured to receive and transmit the beam emitted from the laser diode through the lens to the optical fiber along an optical axis (fig. 2).

With regard to claims 17 and 37, Yoshino discloses a package 5 including the bottom plate 5a, the package 5 being configured to support the second lens and the optical fiber 10 (fig. 2).

With regard to claim 36, Yoshino discloses an optical isolator 8 supported by the fastening means mounting member 11 (fig. 2); the optical system comprises a second lens disclosed in claim 16 above; the optical system is configured to receive and transmit the beam emitted from the laser diode through the discrete lens, and optical isolator, and the second lens to the optical fiber along the optical axis (fig. 2).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Wai-Sing Louie whose telephone number is (703) 305-0474. The examiner can normally be reached on 7:30 AM to 4:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Olik Chaudhuri can be reached on (703) 306-2794. The fax phone numbers for the